

# **EXHIBIT 42**



Information Technology Laboratory

NATIONAL VULNERABILITY DATABASE

NVD

NVD MENU

800-53/800-53A

REV4

NIST Special Publication 800-53 (Rev. 4)

Security and Privacy Controls for Federal Information Systems and Organizations

AC-12 SESSION TERMINATION

Family: AC - ACCESS CONTROL		
Class:		
Priority: P2 - Implement P2 security controls after implementation of P1 controls.		
Baseline Allocation:	Low	Moderate
	N/A	AC-12
		High
		AC-12

Jump To:

Revision 4 Statements  
Control Description  
Supplemental Guidance  
References

All Controls > AC > AC-12

800-53

(Rev. 4)


Security Controls  
Low-Impact  
Moderate-Impact  
High-Impact  
Other Links  
Families  
Search

Control Description

The information system automatically terminates a user session after [Assignment: organization-defined conditions or trigger events requiring session disconnect].

Supplemental Guidance

This control addresses the termination of user-initiated logical sessions in contrast to SC-10 which addresses the termination of network connections that are associated with communications sessions (i.e., network disconnect). A logical session (for local, network, and remote access) is initiated whenever a user (or process acting on behalf of a user) accesses an organizational information system. Such user sessions can be terminated (and thus terminate user access) without terminating network sessions. Session termination terminates all processes associated with a user's logical session except those processes that are specifically created by the user (i.e., session owner) to



Related to: SC-10, SC-23

## Control Enhancements

AC-12(1) SESSION TERMINATION | USER-INITIATED LOGOUTS / MESSAGE DISPLAYS


**The information system:**

AC-12 (1)(a) Provides a logout capability for user-initiated communications sessions whenever authentication is used to gain access to [Assignment: organization-defined information resources], and AC-12 (1)(b) Displays an explicit logout message to users indicating the reliable termination of authenticated communications sessions.

**Supplemental Guidance.** Information resources to which users gain access via authentication include, for example, local workstations, databases, and password-protected websites/web-based services. Logout messages for web page access, for example, can be displayed after authenticated sessions have been terminated. However, for some types of interactive sessions including, for example, file transfer protocol (FTP) sessions, information systems typically send logout messages as final messages prior to terminating sessions.

## References

None.



**HEADQUARTERS**  
100 Bureau Drive  
Gaithersburg, MD 20899

Webmaster | Contact Us | Our Other Offices

GENERAL	CONTACT NVD	Information Technology Laboratory (ITL)
NVD Dashboard	OTHER SITES	National Vulnerability Database (NVD)
News	Checklist (NCP) Repository	Announcement and Discussion Lists
Email List	800-53 Controls	General Questions & Webmaster Contact
FAQ	SCAP Validated Tools	Email: nvd@nist.gov
Visualizations	SCAP	
VULNERABILITIES	USGCB	Incident Response Assistance and Non-NVD
Search & Statistics	SEARCH	Related Technical Cyber Security
Full Listing	Vulnerability Search	Questions:
Categories	CPE Search	US-CERT Security Operations Center
	CONFIGURATIONS (CCE)	



Data Feeds

Vendor Comments

Email: [soc@us-cert.gov](mailto:soc@us-cert.gov)

Phone: 1-888-282-0870

Sponsored by

DHS/NCCIC/US-CERT



[Privacy Statement](#) | [Privacy Policy](#) | [Security Notice](#) | [Accessibility Statement](#) | [NIST Privacy Program](#) | [No Fear Act Policy](#)

[Disclaimer](#) | [FOIA](#) | [Environmental Policy Statement](#) | [Cookie Disclaimer](#) | [Scientific Integrity Summary](#) | [NIST Information Quality Standards](#)

[Business USA](#) | [Healthcare.gov](#) | [Science.gov](#) | [USA.gov](#)